

and the second se		ARTDECO ACRYLIC PAINT 500 ML				
Preperation da	e: 21.08.2015	ARIDE		Version:		
Upgrade date:	-			GBF No:	GBF- LISANS-003	
Issue date:	21.08.2015			Page:	1 / 7	
1. IDENTIFICA	TION OF THE SUBSTANCE	/ PREPA	RATION A	ND THE COMPANY	/ UNDERTAKING	
1.1 Informatio	about item					
	ne: ARTDECO ACRYLIC PAIN					
NO ITEM	ITEM NAME		ITEM	ITEM NAME		
1 3001	TAFFY	26	3604	PEMBE		
2 3002	EKRU	27	3608	MOR		
3 3006	PASTEL PEMBE	28	3609	BULUT MAVİ		
4 3003	BEJ	29	3610	MAVİ		
5 3008	KOTON BEYAZ	30	3611	LACIVERT		
6 3009	PUDRA	31	3612	YEŞİL		
7 3013	ULTRAMARİN	32	3615	KAHVERENGİ		
8 3015	ATEŞ KIRMIZI	33	3618	SİYAH		
9 3016	KIRMIZI	34	3619	BEYAZ		
10 3017	SICAK PEMBE	35	3627	LİMON SARI		
11 3018	ŞAKAYIK PEMBE	36	3632	TURKUAZ		
12 3019	KADİFE KIRMIZI	37	3643	BORDO		
13 3032	KANARYA SARISI	38	3646	KREM		
14 3039	VANİLYA	39	3651	TEN RENGİ		
15 3042	MAGENTA	40	3653	FUŞYA		
16 3043	DOMATES KIRMIZI	41	3654	SÜTLÜ KAHVE		
17 3044	KELEBEK MAVİ	42	3659	FISTIK YEŞİLİ		
18 3047	LAHOR ÇİVİTİ	43	3660	LİLA		
19 3048	KOYU MOR	44	3662	SU YEŞİLİ		
20 3049	PATLICAN MORU	45	3667	YAYLA YEŞİLİ		
21 3053	ROYAL MAVİ	46	3670	KIRIK BEYAZ		
22 3057	TARÇIN	47	3674	BEBEK PEMBE		
23 3601	SARI	48	3675	ÇİLEK KIRMIZI		
24 3602	KOYU SARI	49	3678	ŞEKER PEMBE		
25 3603	TURUNCU	50	3679	BEBEK MAVİ		
25 3603		50	3679	BEBEK MAVİ		



	ARTDECO ACRYLIC PAINT 500 ML		
Preperation date:	21.08.2015	Version:	1
Upgrade date:	-	GBF No:	GBF- LISANS-0037
Issue date:	21.08.2015	Page:	2 / 7

1.3 Company/Manufacturer

Manufacturer:	Lisans Kırtasiye Ofis Gereçleri San. Ve Tic. A.Ş.
Adress:	Şerifali Mah. Emin Sk. No:26 34775 Y.Dudullu/ Ümraniye/ İstanbul
Telephon:	+90 216 415 45 65
Faks:	+90 216 420 78 05
Web Site:	<u>www.lisanskirtasiye</u> .com

1.4 Informer of MSDS

Okan SIVAS osivas@lisanskirtasiye.com.tr **1.5 Emergency consultancy Company emergency call**: +90 216 415 45 65 **Emergency call**:112 **National poison center:**114 **Fire brigade:**110

2. COMPOSITION / INFORMATION ON INGREDIENTS

Item name	Description	% Concentration	CAS No	EINECS No	Classificati on
Akrilik patı	Water based acrylic polymer	30-70	-	-	-
	dispersion				
Akrili Beyaz	Pigment White	10-50			
Pigment	Dispersion				
Of Foam	OF foam	0,001-0,010	-	-	-
Pigment	Pigment	1-10			
Bodoksin TX	Preserver	0,005-1	-	-	-
MPG	Antfreeze	1-3	-	-	-
Water	Solvent	1-3	7732-18-5	231.791.2	
Viscol S 70	Tickener	0,5-1,5	-	-	-
NaOh	Sodyum Hidroksit	0,05-0,25	1310 - 73 -2	215.185.5	

All risk identification sentences about issue is mentioned at 16. section.

3. HAZARDS IDENTIFICATION

Hazard designation: void

Information pertaining to particular dangers for man and environment: void Classification system:

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC



	ARTDECO ACRYLIC PAINT 500 ML		
Preperation date:	21.08.2015	Version:	1
Upgrade date:	-	GBF No:	GBF- LISANS-0037
Issue date:	21.08.2015	Page:	3 / 7

4. FIRST AID MEASURES 4.1 First aid precaution identification 4.1.1 General warnings: 4.1.2 Respiration:: Move to fresh air 4.1.3 Skin touch: Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor 4.1.4 Eye touch Rinse opened eye for several minutes under running water. Seek medical treatment as a precaution 4.1.5 Ingestion: Wash your mouth with water and drink plenty of water. If extreme consumption occurs consult your doctor. 5. FIRE-FIGHTING MEASURES 55.1 General information Evacuate all secondary personel from fire area. 5.2 Suitable extinguisher items CO2, extinguishing powder or water spray jet. Fight larger fires with water spray jet or foam 5.3 Unsuitable extinguisher items Not available. 5.4 Special dangers forms while item is burning Item is non-burnable itself. Vapor of burning may be toxic in open/closed areas.

5.5 Special protective fitout for firefighter

In fire case evacuate people in fire area. Avoid risky acts if you have not enough info. If its not risky to remove from fire, move bottles away from area. Use water spray to keep bottles cold. Fire fighter team must wear suitable protective equipment and use respiratory mask.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedure

. Personal protection see point 8.

Material can create slippery conditions

6.2 Environmental precautions

Do not allow to enter the ground, water or sewage water system.

Pay attention to local or official regulations.

6.3 Constraining and cleaning methods

Gather item and fill in labeled bottles. See section 13. Remove fire or spark where spilled

6.4 Additional warning

See section 7 for safe usage. See section 8 for personal protection equipment. Se section 13 for cleaning.

7. HANDLING AND STORAGE

7.1 Usage/handling

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas

Conditions for safe use

Prevent contacting eye, skin and respiratory tract. Personal protective equipment must be use during work.Must be used in wll-ventilated areas.

Recomendations of general occupational hygene: Smoking must be prohibited where item is carried, stored or processed. Workers are recomended to wash their hands befor eat or drink or smoke. Dirty protective equipment must be removed before entering food serving places. Additionally see section 8 for additional hygene precautions.



ARTDECO ACRYLIC PAINT S			IL
Preperation date:	21.08.2015	Version:	1
Upgrade date:	-	GBF No:	GBF- LISANS-0037
Issue date:	21.08.2015	Page:	4 / 7

7.2 Storage

Keep dry, cool, well-ventilated area. Keep away from inadaptable items. Keep correctly labeled cups.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

No exposure boundary information available for this item.

8.2 Exposure controls

Suitable methods and equipments information where personal protection needed is described suitably at 09.02.2004 dated and 25368 numbered "Personal protective equipment regulation"

Assure to use personal protective equipment suitable to relevant regualtion.

Use sufficient and high effective air conditioning.

8.3 Personal Protection Precaution

Personal proteciton equipment must be suitable to national standards.

Protection of respiratory tract : Avoid breathing and use mask if necessary at P2 level.

Protection of hands: Use long leg pvc, latex or nitril gloves.

Protection of eyes: Use anti-fog eye protectors which is full leakage prof, flexible head strap

Protection of skin and body: Use jump suit which covers all body made of pvc, latex or nonoven material.

Hygene precautions: Wash your hands clean before, eat, drink, smoke, bathroom if use chemical items. **Protective precautions:** Handle item suitable with well hygene and safety application. In the case of contact with hand/eye/body, use protection.

In the case of big amount leakage above exposure boundary use respirotary protection.

Regulation about Health and safety Precautions of Working with Chemical Materials (Official Gazette:26 December 2003; 25328)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information				
Form (Atmosphere temeperature)	Liquid			
Color	See Section 1.			
Odour				

9.2 Important Health, Safety and Environment Information

pH(20°C)	7-7,5
Meting point	Not available
Boiling point	100 'C Water
Flash point	Not available
Flammability (solid, gas)	Not available
Ignition temperature	Not available
Auto ignition temperature	Not available
Decomposition temperature	Not available
Below explosion limit	Not available
Above explosion limit	Not available
Vapour pressure	Not available
Density (at 20°C)	Not available
Solubility in water	Not available
Dispersion multiplier n-oktanol/ water	Not available
Dynamic Viscosity	50000-200000 mPas (Brookfield RV,
	spindle:5, 20 rpm

9.3 Additional information

No additional information



	ARTDECO ACRYLIC PAINT 500 ML		
Preperation date:	21.08.2015	Version:	1
Upgrade date:	-	GBF No:	GBF- LISANS-0037
Issue date:	21.08.2015	Page:	5 / 7

IO. STABILITY AND REACTIVITY
10.1 Reactivity
lo information available
0.2 Chamical stability
L 0.2 Chemical stability No information available
10.3 Dangereous reaction probability
No information available
L0.4 Situations to avoid
None
10.5 In compatible materials
None
10.6 Dangaraaus dasamnasitian itams
L 0.6 Dangereous decomposition items No information available
1. TOXICOLOGICAL INFORMATION
1.1 Acute Toxicity
Not determined
L1.2 Irritation
Skin contact :In case of longer, direct contact with the skin light irritations of the skin are possible
Eye contact: In case of direct contact irritations are possible.
1.3 Sensitivity
lo sensitizing effect is known
1.4 Chronical effect
lo information available
2. ECOLOGICAL INFORMATION
2. ECOLOGICAL INFORMATION
L2.1 EcoToxicity
No data available
3OD: None.
2.2. Elimination
No information available
2.3 Bioaccumulation potential
lo information available
L2.4 Mobility
lo information available
L2.5 PBT evaluation result
No information available
2.6 Additional information
No information available



Live	M	MATERIAL SAFETY DATA SHEET				
		ARTDECO A	CRYLIC PAINT 500 M	IL		
Preperation date Upgrade date:	21.08.201	5	Version: GBF No:	1 GBF- LISANS-0037		
Issue date:	21.08.201	15	Page:	6 / 7		
13. DISPOSAL IN						
 Disposals and use According to EU a manufacturer. 	posal Suggestion ed packages should be c and local regulations def k into underground or ea	fining disposal clas	s and disposal method i	s belong to		
13.2 Safe Dispos	al					
· If possible recycle	e					
 Dispose obeying Dont dispose with 						
· Prevent to leak in	to under ground water.					
	ations in the case of leak disposal contact with m					
	te catalogue and dang umber can be fixed by it		st			
	s for unclean package aste package must be w		may stem from waste it	em in indisposed		
	be done as directed by	the official regulat	ions.			
13.5 Suggested · Hand used packa	cleaning method age to professionel wast	e destruction serv	se firm.			
	TION INFORMATION					
	angereous in transforma ·oad / ADR /RID:	Free				
Air / IATA:		Free				
Water / IMDG: 15. REGULATOR	INFORMATION	Free				
15.1 Labeling	directed in EU regulation	n and regulation of	" Rules of labeling, pac	kaging, classification of		
15.2 Component Not available	s defining danger for	labeling				
15.3 Danger sym Not available	bol and definition					
15.4 Risk expres Not available	sion					
	away from children.					
	o package safely. d contacting from eye a	nd skin.				
S46: In th	ne case of swallow consu ose item at particular da	ult doctor and show				
			leading places.			
15.6 Additional i Examine other below	nformation ow national regulations	which may be rela	ted to this form			
· Regulations abou	t preperation and distrib			materials and		
	: labeling and packaging t production, launch and			eperations		
 Regulations of wo 	ork health and safety work health and safety	-				

- Regulations of work health and safety precautions working with chemical items
 Regulations about usage of personal protective equipment at work



	ARTDE	ARTDECO ACRYLIC PAINT 500 ML		
Preperation date:	21.08.2015	Version:	1	
Upgrade date:	-	GBF No:	GBF- LISANS-0037	
Issue date:	21.08.2015	Page:	7 / 7	

· Control of dangereous waste regulation

16.OTHER INFORMATION

16.1 Legal instruments

This document is prepared and approved by accredited specialist as directed in accordance with 91/155/EEC, 2001/58/EC, ISO 11014–1, 26 December 2008 dated and 27092 numbered "Regulations about preparation and distribution of safety data sheet of dangereous materials and preparations

16.2.1 Contact info

Okan SİVAS osivas@lisanskirtasiye.com.tr Tel: 0216415 45 65- Lisans Kırtasiye Ofis Gereçleri San. ve Tic. A.Ş.

16.3 Issue date 21.08.2015

21.08.2015

16.4 Issue no

37

16.5 Issue and comments

Translated into Turkish and as directed in regulation 24 December 2008 and no 27092

16.6 Safety data sheet no

GBF- LISANS-00037 **16.7 R- Risk Arrangement** (Risk definition sentences of raw materials listed in section 2.) **R34:** Causes burn.

R50: Toxic for water organisms.

16.8 Other information

 \cdot Contact sales department for training info of using sheet safely.

 \cdot Key information sources used in preperation of this sheet;

- * "Regulations about preparation and distribution of safety data sheet of dangereous materials and preparations" and attachment
- ♦ UN ADR, IMDG, IATA lists, EU directions about ECHA
- ✤ Other assistant sources

16.9 Additional information

• In preperation of this sheet based on best experience, knowledge and information in the date. Given information is intended to be guide to safe handling, usage, process, warehousing and disposing.

 This information is valid for only mentioned article and usage with other articles may not be valid as long as its particularly mentioned.

· Consider information in this safety data sheet for usage.

- This information is based on current knowledge.
- · Definitions in this data sheet may not guarantee product quality.
- · It doesnot present any assurance and not establish any legal document for product quality

16.10 Abbreviation

- I. EINECS: Europe Inventory of chemical materials
- II. CAS: Service registration number of chemical materials.