



## MATERIAL SAFETY DATA SHEET

### ARTDECO ODOURLESS TURPENTİNE ARTDECO KOKUSUZ TEREVENTİN

**Preparation date:** 10.03.2016 **Version:** 1  
**Upgrade date:** - **GBF No:** GBF- LISANS-0030  
**Issue date:** 10.05.2016 **Page:** 1 / 5

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY /

##### 1.1 Information about item

**Commercial name:** Artdeco Odourless Turpentine  
**Mode Of Packing :** 25ml,100ml,500ml,1000ml

**Item no:** Lv-Y-053

##### 1.2 Company/Manufacturer

**Manufacturer:** Lisans Kırtasiye Ofis Gereçleri San. Ve Tic. A.Ş.  
**Adress:** Şerifali Mah. Emin Sk. No:26 34775 Y.Dudullu/ Ümraniye/ İstanbul  
**Telephon:** +90 216 415 45 65  
**Faks:** +90 216 420 78 05  
**Web Site:** [www.lisanskirtasiye.com](http://www.lisanskirtasiye.com)

##### 1.3 Informer of MSDS

Okan SİVAS

osivas@lisanskirtasiye.com.tr

##### 1.4 Emergency consultancy

**Company emergency call:** +90 216 415 45 65

**Emergency call:** 112

**National poison center:** 114

**Fire brigade:** 110

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

This product is hazardous as defined in 29 CFR1910.1200.  
OSHA HAZARD  
Combustible Liquid

#### 3. HAZARDS IDENTIFICATION

**Hazard designation :** Potential Health Effects

#### 4. FIRST AID MEASURES

##### EYE CONTACT:

Flush eyes with large amounts of water until irritation subsides. If irritation persists, get medical attention.

##### SKIN CONTACT:

Flush with large amounts of water; use soap if available.  
Remove grossly contaminated clothing, including shoes, and launder before reuse.

##### INHALATION:

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention.



## MATERIAL SAFETY DATA SHEET

### ARTDECO ODOURLESS TURPENTINE ARTDECO KOKUSUZ TEREBENTİN

<b>Preparation date:</b>	10.03.2016	<b>Version:</b>	1
<b>Upgrade date:</b>	-	<b>GBF No:</b>	GBF- LISANS-0030
<b>Issue date:</b>	10.05.2016	<b>Page:</b>	2 / 5

#### 5. FIRE-FIGHTING MEASURES

**FLASH POINT:** 147 Deg F. **METHOD:** TCC ASTM D56 **NOTE:** Minimum

**FLAMMABLE LIMITS:** LEL: 0.7 UEL: 5.3 **NOTE:** Approximate

**AUTOIGNITION TEMP.:** > 487 Deg F.

##### GENERAL

**Suitable fire extinguisher:** damp fog, extinguishing foam, CO<sub>2</sub>, extinguishing powder, sand

**Unsuitable fire extinguisher:** strong jet of water

Avoid breathing fire vapours. Fire can create toxic gases, vapour, fume like carbon monoxide, carbon dioxide, nitrogen oxides.

#### 6. ACCIDENTAL RELEASE MEASURES

**Person-related safety precautions:** Avoid skin and eye contact.

**Measures of environmental protection:** Do not allow product to reach sewage system or water bodies.

**Measures for cleaning / collection:** Absorb with liquid-binding material like sand, universal binders. Disposal of contaminated material in accordance with applicable law

#### 7. HANDLING AND STORAGE

**Handling:** Ensure good ventilation / exhaustion at the place of work during and after work.

Handle the paint with care and under appropriate rules. Do not use near heat and flame. Care for electrostatic discharge.

**Storage:** Keep glass tightly closed. Keep away from heat, sparks and flame. Care for electrostatic discharge. Store in a cool room with effective ventilation or fresh air. Keep away from food and luxury stimulants.

**VCI:** Storage class 3A, flammable liquids

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### 8.1 Personal Protection Precaution

Wear suitable protective clothing, protective gloves and protective goggles/mask. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of charcoal filter and particulate filter is recommended.

In case of hypersensitivity of the respiratory tract (e.g. asthmatics and those who suffer from chronic bronchitis) it is inadvisable to work with the product. Symptoms affecting the respiratory tract can also occur several hours after overexposure. Keep away from foodstuffs, drinks and tobacco. Wash hands before breaks and at end of the work. Keep working clothes separate. Take off immediately all contaminated clothing.



## MATERIAL SAFETY DATA SHEET

### ARTDECO ODOURLESS TURPENTINE ARTDECO KOKUSUZ TEREBENTİN

**Preparation date:** 10.03.2016 **Version:** 1  
**Upgrade date:** - **GBF No:** GBF- LISANS-0030  
**Issue date:** 10.05.2016 **Page:** 3 / 5

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 General information

<b>Form (Atmosphere temperature)</b>	Liquid
<b>Color</b>	Clear
<b>Odour</b>	Smell of odourless solvent

### 9.2 Important Health, Safety and Environment Information

<b>Density</b>	6.6 lbs/gal at 60
<b>Viscosity</b>	1.6 at 77
<b>Solubility in water</b>	Less than 0.01 at 77
<b>Vapor Pressure, mmHg at Deg F</b>	0.52 at 68 Approximate
<b>Specific Gravity at Deg F:</b>	0.79 at 60

### 9.3 Additional information

No additional information

## 10. STABILITY AND REACTIVITY

### STABILITY:

Stable

### CONDITIONS TO AVOID INSTABILITY:

Not Applicable

### HAZARDOUS POLYMERIZATION:

Will not occur

### CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION:

Not Applicable

### MATERIALS AND CONDITIONS TO AVOID INCOMPATIBILITY:

Strong oxidizing agents

### HAZARDOUS DECOMPOSITION PRODUCTS:

None

## 11. TOXICOLOGICAL INFORMATION

### EYE CONTACT:

Slightly irritating but does not injure eye tissue.

### SKIN CONTACT:

Low order of toxicity.

Frequent or prolonged contact may irritate and cause dermatitis.

Skin contact may aggravate an existing dermatitis condition.

### INHALATION:

High vapor/aerosol concentrations (attainable at elevated temperatures well above ambient) are irritating to the eyes and the respiratory tract, and may cause headaches, dizziness, anaesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death

### INGESTION:

Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury, possibly progressing to death.

Minimal toxicity.

### CHRONIC EFFECTS

At very high oral doses, this product caused reversible damage to the stomach, liver, and kidney (male only) of rats.



## MATERIAL SAFETY DATA SHEET

### ARTDECO ODOURLESS TURPENTINE ARTDECO KOKUSUZ TEREBENTİN

<b>Preparation date:</b>	10.03.2016	<b>Version:</b>	1
<b>Upgrade date:</b>	-	<b>GBF No:</b>	GBF- LISANS-0030
<b>Issue date:</b>	10.05.2016	<b>Page:</b>	4 / 5

#### 12. ECOLOGICAL INFORMATION

##### 12. ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

#### 13. DISPOSAL INFORMATION

Please note the local regulations for sewage. Dispose of remaining paint in accordance with applicable country, federal, state and local regulations. Dispose of packaging according to regulations on the disposal of packaging. Absolutely cleaned packaging can be recycled.

Suggestion for controlled waste disposal: burning.

EC: EWC-no. depends on way of use, suggestion.

EWC-No.: 08 01 11, paint and enamel rubbish containing organic solvents. Or other harmful ingredients.

#### 14. TRANSPORTATION INFORMATION

PETROLEUM DISTILLATE, N.O.S., COMBUSTIBLE LIQUID UN 1268, III

#### 15. REGULATORY INFORMATION

Xi Irritant

##### Risk phrases

R 10 Flammable

R 36 Irritates eyes

##### Safety advises

S 2 Keep away from children

S 7 Keep cap tightly closed

S 16 Keep away from heat, sparks or flame

S 23 Do not inhale vapour & aerosols

S 24/25 Avoid eye and skin contact

S 51 Use only at a well ventilated working place



## MATERIAL SAFETY DATA SHEET

### ARTDECO ODOURLESS TURPENTINE ARTDECO KOKUSUZ TEREBENTİN

**Preparation date:** 10.03.2016 **Version:** 1  
**Upgrade date:** - **GBF No:** GBF- LISANS-0030  
**Issue date:** 10.05.2016 **Page:** 5 / 5

#### 16. OTHER INFORMATION

##### 16.1 Precautions

##### HAZARD RATING SYSTEMS:

This information is for people trained in:  
National Paint & Coatings Association's (NPCA)  
Hazardous Materials Identification System (HMIS)  
National Fire Protection Association (NFPA 704)  
Identification of the Fire Hazards of Materials

	NPCA- HMIS	NFPA 704	KEY
HEALTH	1	1	4 = Severe
FLAMMABILITY	2	2	3 = Serious
REACTIVITY	0	0	2 = Moderate
		1 = Slight	
		0 = Minimal	

CAUTION: HMIS ratings are based on a 0-4 rating scale with 1 representing minimal hazards or risks, and 4 representing significant hazards or risks. Recommended HMIS ratings should not be used in the absence of a fully implemented HMIS hazard communication program.

##### 6.2.1 Contact info

Okan SİVAS osivas@lisanskirtasiye.com.tr  
Tel: 0216415 45 65- Lisans Kırtasiye Ofis Gereçleri San. ve Tic. A.Ş.

##### 16.3 Issue date

10.05.2016

##### 16.4 Issue no

30

##### 16.5 Issue and comments

Translated into Turkish and as directed in regulation 24 December 2008 and no 27092